


CITIZEN®





MIYOTA MOVEMENT

IMPRESSIVE PERFORMANCE AND EXCEPTIONAL RELIABILITY IMPRESSIVE PERFORMANCE AND EXCEPTIONAL RELIABILITY IMPRESSIVE PERFORMANCE AND EXCEPTIONAL RELIABILITY IMPRESSIVE PERFORMANCE AND EXCEPTIONAL RELIABILITY IMPRESSIVE PERFORMANCE AND EXCEPTIONAL RELIABILITY

MADE IN JAPAN

BASIC RANGE
2035 SERIES



6³/₄ x 8³/₃₂


10¹/₂



2025
height 3.15mm
3 year battery life (SR626SW)

2035
height 3.15mm
3 year battery life (SR626SW)

2036/2039/2033
height 3.15mm
3 year battery life (SR626SW)
higher hand height





2034
height 3.15mm
high-torque for second-disc battery (SR626SW)



213D
height 4.40mm
1.2 year battery life (SR626SW)
second disc under dial

NEW

BASIC RANGE



6³/₄ x 8³/₃₂

10¹/₂



2015
height 4.15mm
3 year battery life (SR626SW)



2005
height 4.15mm
3 year battery life (SR626SW)







2115
height 4.15mm
3 year battery life (SR626SW)




2105
height 4.15mm
3 year battery life (SR626SW)


SUPER FLAT RANGE



6³/₄ x 8³/₃₂



9T22 **NEW**
height 1.90mm
2 year battery life (SR616SW)



9T33 **NEW**
height 1.90mm
2 year battery life (SR616SW)
battery detector function



9T15 **NEW**
height 2.33mm
2 year battery life (SR616SW)



9T13 **NEW**
height 2.33mm
2 year battery life (SR616SW)
battery detector function

10¹/₂







9U15 **NEW**
height 2.33mm
2 year battery life (SR916SW)



9U13 **NEW**
height 2.33mm
2 year battery life (SR916SW)
battery detector function

SLIM & SUPER SLIM RANGE



4'''



4S20
height 2.90mm
2 year battery life (SR512SW)

3 3/4'''



5R21
height 1.9mm
3 year battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm



5R32
height 2.00mm
2 year battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm

5 1/2 x 6 3/4'''







5Y20
height 2.54mm
3 year battery life (SR521SW)



5Y30
height 2.54mm
2 year battery life (SR521SW)

FLAT RANGE



6 3/4 x 8'''




1L22
height 2.15mm
5 year battery life (SR616SW)



1L32
height 2.28mm
3 year battery life (SR621SW)



1L15
height 2.71mm
3 year battery life (SR621SW)



1L12
height 2.71mm
3 year battery life (SR621SW)



1L02
height 2.94mm
3 year battery life (SR621SW)




1L50 NEW
height 2.94mm
3 year battery life (SR621SW)
big date disc

8 3/4'''



NEW **1N12**
height 2.58mm
2 year battery life (SR616SW)

10 1/2'''



1M15
height 2.71mm
3 year battery life (SR621SW)



1M12
height 2.71mm
3 year battery life (SR621SW)



1M02
height 2.94mm
3 year battery life (SR621SW)



1M50 NEW
height 2.94mm
3 year battery life (SR621SW)
big date disc


11 1/2'''



NEW **1S12**
height 2.71mm
3 year battery life (SR621SW)



1S02 NEW
height 3.07mm
3 year battery life (SR621SW)



6 3/4 x 8'''







1L40 NEW
height 2.93mm
small second for ladies'
3 year battery life (SR621SW)



1L45 NEW
height 2.93mm
small second for gent's
3 year battery life (SR621SW)

STANDARD RANGE



6³/₄ x 8^{'''}



6L22
height 2.55mm
3 year battery life (SR621SW)



6L32
height 2.55mm
3 year battery life (SR621SW)



6L12
height 3.07mm
3 year battery life (SR621SW)



6L02
height 3.20mm
3 year battery life (SR621SW)



6L40
height 3.20mm
small second for ladies
3 year battery life (SR621SW)

10¹/₂^{'''}



6M12
height 3.30mm
3 year battery life (SR621SW)








6M02
height 3.30mm
3 year battery life (SR621SW)



6L45
height 3.20mm
small second for gent's
3 year battery life (SR621SW)

SPECIAL RANGE



6³/₄ x 8^{'''}



6L90
height 3.30mm
sun & moon disc
3 year battery life (SR621SW)



6L95
height 3.30mm
sun & moon disc/date
3 year battery life (SR621SW)



6L85
height 3.30mm
moon phase/date
3 year battery life (SR621SW)



6M53
height 3.50mm
3 year battery life (SR621SW)



6M50
height 3.50mm
3 year battery life (SR621SW)

10¹/₂^{'''}



6M90
height 3.30mm
sun & moon disc
3 year battery life (SR621SW)



6M95
height 3.30mm
sun & moon disc/date
3 year battery life (SR621SW)



6M85
height 3.30mm
moon phase/date
3 year battery life (SR621SW)

13¹/₂^{'''}



6M55
height 3.85mm
large day/date disc
3 year battery life (SR621SW)

3 hands Alarm



6L71
height 3.95mm
repeat alarm
2 year battery life (SR626SW)

3 hands/Date Alarm




6L76
height 4.47mm
repeat alarm/date
2 year battery life (SR626SW)

3 hands/Date 24H/Dual Time



6M17
height 3.30mm
24 hour hand/dual time/date
3 year battery life (SR621SW)

MULTI-EYES RANGE



10 1/2'''



6P29
height 3.45mm
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P27
height 3.45mm
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P25
height 3.45mm
2 eyes (Day/Date)
3 year battery life (SR621SW)



6P00
height 3.45mm
3 eyes (Day/Date/Month)/moon phase
3 year battery life (SR621SW)



6P80
height 3.85mm/date pointer
2 discs (Day/Month)/moon phase
3 year battery life (SR621SW)



6P05
height 3.45mm
3 eyes (Day/Date/Month)
3 year battery life (SR621SW)



6P89
height 3.85mm/month disc
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P09
height 3.45mm
4 eyes (Month/Day/Date/24 hour)
3 year battery life (SR621SW)




6P20
height 3.45mm
2 eyes (Day/Date)/moon phase
3 year battery life (SR621SW)



6P21
height 3.45mm
2 eyes (Day/Date)/moon phase
3 year battery life (SR621SW)

CHRONO RENGÉ



13 1/2'''




OS10
height 4.13mm date
chrono hour/min/sec
2 year battery life (SR927W)



OS30
height 4.13mm
chrono hour/min/sec
2 year battery life (SR927W)



OS60
height 4.13mm date
chrono hour/min/sec +1/20 second
2 year battery life (SR927W)



OS70
height 4.13mm
chrono hour/min/sec +1/20 second
2 year battery life (SR927W)




OS80
height 4.68mm date
chrono hour/min/sec +1/20 second
alarm
2 year battery life (SR927W)

8 3/4'''

11 1/2'''


MECHANICAL RANGE (AUTOMATIC)



6T51
height 5.58mm
21 jewels/automatic winding
quick date setting/easy day setting
bilingual weekday



8215
height 5.67mm
21 jewels/automatic winding
quick date setting



8205
height 5.67mm
21 jewels/automatic winding
quick day/date setting
bilingual weekday

E/L RANGE



10'''



OU30
height 4.10mm
(Including transparent dial)
electro-luminescent display
3.5 year battery life (SR621W)
For Ladies' size

13'''



6N30
height 3.55mm
(Including transparent dial)
electro-luminescent display
2 year battery life (SR621W)

13'''



6N10
height 4.30mm/date
(Including transparent dial)
electro-luminescent display
2 year battery life (SR621W)



13'''



6N00
height 4.30mm/day/date
(Including transparent dial)
electro-luminescent display
2 year battery life (SR621W)



SOLAR RANGE



13 1/2'''



T250
height 4.91mm
month-day-date/12 & 24H
alarm/chrono/chime/
electro-luminescent display
3 year battery life (SR927W)
size: 30.8 x 27.4 x 26.0mm

13'''




6R29
height 4.25mm
(Including transparent dial)
3 year (Day/Date/24 hour)
electro-luminescent display
2 year battery life (SR621W)

13'''



7W71
height 3.43mm
(Including transparent dial)
with Solarcell/date

10 1/2'''



2S60
height 3.99mm
10 year battery life (CR2012)

COMBINATION RANGE



T480 / T485
height 3.50mm
month-day-date/12 & 24H
alarm/chrono/chime/lamp (T480)
3 year battery life (SR927W)
size: 27.7 x 23.0mm



T200 / T205
height 3.16mm
month-day-date/12 & 24H
alarm/chrono/chime/lamp (T200)
3 year battery life (SR927W)
size: 28.4 x 27.8 x 25.0mm



T201 / T206
height 3.16mm
month-day-date/12 & 24H
alarm/chrono/chime/lamp (T201)
3.5 year battery life (SR927W)
size: 28.4 x 27.8 x 25.0mm



T240
height 4.91mm
month-day-date/12 & 24H
alarm/chrono/chime
2 year battery life (SR927W)
size: 30.8 x 27.4 x 26.0mm



T241
height 4.91mm
month-day-date/12 & 24H
alarm/chrono/chime/countdown
2 year battery life (SR927W)
size: 30.8 x 27.4 x 26.0mm

MIYOTA MOVEMENT CHART

RANGE	FUNCTION	3 3/4'''	4'''	5 1/2'''	6 3/4 × 8'''				8 3/4'''	10 1/2'''				11 1/2'''		OTHER	
		SUPER SLIM	SUPER SLIM	STANDARD	BASIC	STANDARD	FLAT	SUPER FLAT	FLAT / STA	BASIC	STANDARD	FLAT	SUPER FLAT	STANDARD	FLAT		
SLIM FLAT STANDARD PAGE 2, 3, 4	2 H	5R21	4S20	5Y20	2025	6L22	1L22	9T22									
	3 H	5R32		5Y30	2035	6L32	1L32	9T33									
	3 H HIGHER HAND				2033 2036/9												
	2 HD						1L15	9T15				1M15	9U15				
	3 HD				2015	6L12	1L12	9T13	1N12	2115	6M12	1M12	9U13		1S12		
	3 HDD				2005	6L02	1L02			2105	6M02	1M02			1S02		
	2 H SMALL SECOND					6L40 6L45	1L40 1L45										
SPECIAL PAGE 4, 6	S / M					6L90					6M90						
	S/M.D					6L95					6M95						
	MOON D					6L85					6M85						
	ALM										6L71						
	ALM.D										6L76						
	24H										6M17						
	10 YEARS									2S60							
	BD						1L50					1M50		6M53			
	2 H SECOND DISC				2034												
	2 H SECOND DISC UNDER DIAL									213D							
3 H DATE WIDE WEEKDAY													6M50		6M55		
E/L PAGE 6	3 H															0U10 6N30	
	3 HD															6N10	
	3 HDD															6N00	
	3 EYES															6R29	
	COMBI															T250	
COMBINATION PAGE 6	ALARM CHRONO 3 HANDS 6 DIGITS															T480 T485 T200 T205 T201 T206	
	12 DIGITS															T240 T241	
MULTI-EYES PAGE 5	3 EYES										6P29 6P05						
	3 EYES										6P27 (6P89)						
	2 EYES										6P25						
	4 EYES										6P09						
	2 EYES										6P20 6P21						
	3 EYES										6P00						
	3 EYES										6P80						
CHRONO PAGE 5	3 EYES D 1/1 SEC															0S10 0S30	
	3 EYES D 1/20 SEC															0S60 0S70	
	3 EYES D 1/20 SEC ALM															0S80	
SOLAR PAGE 6	3 HD															7W71	
MECHANICAL PAGE 5	3 HD													8215			
	3 HDD								6T51					8205			

FLAT RANGE SERIES METAL MOVEMENT



1L22



1L32



1N12



1L15



1M15



1L12



1M12



1S12



1L02



1M02



1S02

MADE IN JAPAN

CITIZEN WATCH CO., LTD.
PRODUCTS MARKETING GROUP

6-1-12, HONCHO, TANASHI-SHI, TOKYO 188-8511, JAPAN
PHONE: +81-424-67-6218 / FAX: +81-424-67-1549
HOME PAGE: www.citizen.co.jp/miyota_mvt/
E-MAIL: miyota_mvt@citizen.co.jp

QUALITY IMPRESSIVE
QUAL RELIABILITY II
AND EXCEPTIONAL RI

LIABILITY IMPRE
PTIONAL RELIAB
E AND EXCEPTIO